

Modifications after the Pre-Bid Meeting Held on 09-05-2019 at 11.00 am

Item No. 1.10. Dual Desk without Back Rest (Two Seater)

Specifications & Pre-qualification criteria as per the present Tender Schedule	Amendments after the Pre-Bid Meeting
<p><u>Specification</u> <u>Sl. No. 01:</u> The understructure of the Dual Desk shall be made up of 25.4 mm square CRCA steel tubular frame with 1.2 mm thick and shall be powder coated to the thickness of at least 50 microns.</p> <p><u>Sl. No. 02:</u> The side walls and bottom of the desk shall be covered with 1 mm CRCA steel sheet powder coated on either side to the thickness of at least 50 microns.</p>	<p><u>Sl. No. 1:</u> The understructure of the Dual Desk shall be made up of 25.4 mm square CRCA steel tubular frame with 1.6 mm thick and shall be powder coated to the thickness of at least 50 microns.</p> <p><u>Sl. No. 2:</u> All the three side walls (2 sides and front) of the desk and bottom of the desk shall be covered with 1 mm CRCA steel sheet powder coated on either side to the thickness of at least 50 microns.</p>
<p><u>Pre-qualification criteria Sl. No. : 3(b)</u> The firm should have sold worth of Rs.20.00 lakhs in one Single Order of similar item at least in any one of the financial year i.e., 2017-18 or 2018-19. Documentary evidence to this effect shall be enclosed.</p>	<p>The firm should have sold worth of Rs. 10.00 lakhs in one Single Order of Same or Similar items at least in any one of the three financial years i.e., 2016-17, 2017-18 & 2018-19. Documentary evidence to this effect shall be enclosed. Satisfactory performance certificate issued by the firm i.e., Govt./ Semi Govt./ Autonomous/ PSU only to whom the supplies were made shall be considered.</p>